	Search Text				
1	<pre>(roll or roller) and coupling and ((drive adj shaft) adj2 key)</pre>				
2	"72"/\$.ccls. and (roll or roller) and coupling and (drive adj shaft)				
3	"29"/\$.ccls. and (roll or roller) and coupling and (drive adj shaft)				
4	"492"/\$.ccls. and (roll or roller) and coupling and (drive adj shaft)				
5	"492"/\$.ccls. and (roll or roller) and coupling and holder				
6	"29"/\$.ccls. and (roll or roller) and coupling and holder				
7	"72"/\$.ccls. and (roll or roller) and coupling and holder				
8	"100"/\$.ccls. and (roll or roller) and coupling and holder				
9	(roll or roller) and coupling and holder and key				
10	<pre>(roll or roller) and coupling and holder and (end adj2 face) and groove</pre>				

		DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:33		
2	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:34		
3	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:34		
4	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:34		
5	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:35		
6	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:35		
7	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:35		
8	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:35		
9	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:36		
10	US-PGPUB; EPO; JPO;	USPAT; USOCR; DERWENT	2005/11/22 09:36		

	Туре	L#	Hits
1	BRS	L1	146
2	BRS	L2	649
3	BRS	L3	776
4	BRS	L4	57
5	BRS	L5	36
6	BRS	L6	777
7	BRS	L7	444
8	BRS	L8	102
9	BRS	L9	3768
10	BRS	L10	874

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1424	(roll or roller) and holding and coupling and (face or faces) and groove	US-PGPUB	OR	OFF	2005/11/22 10:00
L2	51	(roll or roller) and holding and coupling and (face or faces) and (first adj groove) and (second adj groove)	US-PGPUB	OR	OFF	2005/11/22 10:00